



*Commonwealth of Virginia*

**VIRGINIA DEPARTMENT OF ENVIRONMENTAL QUALITY**

1111 E. Main Street, Suite 1400, Richmond, Virginia 23219

P.O. Box 1105, Richmond, Virginia 23218

(800) 592-5482 FAX (804) 698-4178

[www.deq.virginia.gov](http://www.deq.virginia.gov)

Travis A. Voyles  
Acting Secretary of Natural and Historic Resources

Michael S. Rolband, PE, PWD, PWS Emeritus  
Director  
(804) 698-4020

April 15, 2022

Mr. Jacob Dorman  
Contech Engineered Solutions LLC  
7037 Ridge Road, Suite 350  
Hanover, MD 21076

Transmitted electronically: [jdorman@conteches.com](mailto:jdorman@conteches.com)

Re: Assignment of Percent Removal Efficiencies for Total Phosphorus  
**Jellyfish® Filter**

Dear Mr. Dorman:

The Department of Environmental Quality (Department or DEQ) received the Proprietary Best Management Practice (BMP) Registration Statement and supporting documentation for the **Jellyfish® Filter** on December 29, 2021. The Department has reviewed the application and supporting documentation in accordance with § 62.1-44.15:28 of the Code of Virginia, 9VAC25-870-65 D of the Virginia Stormwater Management Program (VSMP) Regulation, and DEQ Guidance Memo No. 21-2006.

Section 65 D 2 of the VSMP Regulation states, "Any proprietary BMP approved for use after July 1, 2020, must meet the requirements of § 62.1-44.15:28 A 9 of the Code of Virginia." The Department received the current general use level designation (GULD) certificate from Washington State's Technology Assessment Protocol – Ecology (TAPE) program or the current certification from the New Jersey Department of Environmental Protection (NJDEP) for the **Jellyfish® Filter**.

The **Jellyfish® Filter** is approved for use in Virginia to meet the VSMP water quality design criteria requirements and has been assigned a total phosphorus pollutant removal efficiency of **65%**. This information will be posted on the Virginia Stormwater BMP Clearinghouse website. This device and the assigned removal efficiency can be manually added into the Virginia Runoff Reduction Method spreadsheet to demonstrate compliance with VSMP water quality design criteria requirements.

If you have any questions regarding this letter, please contact Robert E. Cooper, P.E. at (804) 965-4875 or e-mail at [Robert.Cooper@deq.virginia.gov](mailto:Robert.Cooper@deq.virginia.gov).

Sincerely

A handwritten signature in blue ink that reads "Erin Ervin Belt".

Erin Ervin Belt  
Office of Stormwater Management